

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-8 (Cancelled).

Claim 9 (New): A mobile terminal, comprising:

a transmitter/receiver configured to transmit/receive a signal to/from a base station;

a reception state measurement unit configured to measure a reception state of the signal from the base station received by the transmitter/receiver;

a movement state measurement unit configured to measure a movement state of the mobile terminal; and

a reception period controller configured to control a reception period for receiving a control signal transmitted from the base station by the transmitter/receiver, based on a reception state measurement result determined by the reception state measurement unit and a movement state measurement result measured by the movement state measurement unit.

Claim 10 (New): The mobile terminal of Claim 9, further comprising:

a communication state determination unit configured to determine whether the transmitter/receiver is in communication or stand-by, as a communication state wherein,

the reception period controller controls the reception period based on the reception state measurement result, the movement state measurement result, and a communication state determination result determined by the communication state determination unit.

Claim 11 (New): The mobile terminal of Claim 9, wherein the reception state measurement unit measures a difference in reception states of signals from a plurality of base stations received by the transmitter/receiver, as the reception state.

Claim 12 (New): A control device, comprising:

a reception state measurement unit configured to measure a reception state of the signal from a base station received by a mobile terminal;

a movement state measurement unit configured to measure a movement state of the mobile terminal; and

a reception period controller configured to control a reception period for receiving a control signal transmitted from the base station by the mobile terminal, based on a reception state measurement result determined by the reception state measurement unit and a movement state measurement result measured by the movement state measurement unit.

Claim 13 (New): The control device of Claim 12, further comprising:

a communication state determination unit configured to determine whether the transmitter/receiver is in a communication state or stand-by state, wherein

the reception period controller controls the reception period based on the reception state measurement result, the movement state measurement result, and a communication state determination result determined by the communication state determination unit.

Claim 14 (New): A communication system, comprising:

a base station; and

a mobile terminal comprising: a transmitter/receiver configured to transmit/receive a signal to/from the base station;

a reception state measurement unit configured to measure a reception state of the signal from the base station received by the transmitter/receiver;

a movement state measurement unit configured to measure a movement state of the mobile terminal; and

a reception period controller configured to control a reception period for receiving a control signal transmitted from the base station by the transmitter/receiver, based on a reception state measurement result determined by the reception state measurement unit and a movement state measurement result measured by the movement state measurement unit.

Claim 15 (New): A communication method, comprising:

receiving a signal from a base station;

measuring a reception state of the signal from the base station;

measuring a movement state of the mobile terminal; and

controlling a reception period for receiving a control signal transmitted from the base station by the mobile terminal, based on a reception state measurement result and a movement state measurement result.